

**PRZEDSIĘBIORSTWO USŁUGOWO REMONTOWE**  
**REMODEX**  
**ZAKŁAD BADAŃ I WDROŻEŃ PRZEMYSŁU MEBLARSKIEGO**  
**Spółka z o.o.**

**Gruszczyn, ul. Leśna 12**  
**62-006 Kobylnica**

e-mail: [biuro@remodex.com.pl](mailto:biuro@remodex.com.pl)  
KRS 0000099068

tel./fax. 61 817-49-97  
tel. kom. 601 391 825

**SIGN: BW/JK/178/15**

**DATE: 2015-07-28**

Order from: 2015-07-15

**TEST REPORT No: 163/15/W**

**Safety requirements, strength and durability**

**1. Name and type of article -**

**Swivel chair WEREK**  
**Swivel chair WEREK (version with foot rest)**

**2. CLIENT -**

**NOWY STYL Sp. z o.o.**  
ul. Pużaka 49  
38-400 KROSNO

**3. Documents identifying article -**

order + technical records.


This article was tested in accordance  
with the test procedures described in:

**PN-EN 16139**  
**PN-EN 1728**  
**PN-EN 1022**

**TEST RESULTS:**

**POSITIVE**

Test operator

  
.....  
/M Sc. (Eng.) Jacek Konieczny

**PREZES ZARZĄDU**

  
mgr inż. Piotr Błaszczak

TEST REPORT contain 3 pages

The test results are only valid for the article tested.

This TEST REPORT shall not be reproduced except in full, without the written approval of the laboratory.

**TEST REPORT No: 163/15/W**

**REQUIREMENTS FOR NON-DOMESTIC SEATING**

*Name and type of article* – **Swivel chair WEREK, swivel chair WEREK** (version with foot rest)

**SAFETY REQUIREMENTS:**

point PN-EN	Test description	Requirement	Test results
4.1	accessible edges and corners	rounded	positive
	splinters, sharp edges	inadmissible	positive
	open ends of tubes	closed or covered	positive
	movable parts and adjustable	they do not injuries	positive
	connection of bearing parts	they do not get loosen	positive
	parts lubricated to assist sliding	does not cause staining	positive
4.2	shear and squeeze points when setting up and folding	acceptable	positive
	shear and squeeze points under influence of powered mechanism	inadmissible	positive
	shear and squeeze points during use	inadmissible	positive

**STABILITY:**

Nr	Test description	Loading	Test results
1	Forward overturning	vertical force 600 N horizontal force 20 N	pass
2	Sideways overturning for chairs without arm rests	vertical force 600 N horizontal force 20 N	pass
3	Rearwards overturning	vertical force $F_1$ 600 N horizontal force $F_2$ - 170 N	pass

SIGNED: .....  
  
LABORATORIUM

**TEST REPORT No: 163/15/W**

**REQUIREMENTS FOR NON-DOMESTIC SEATING**

*Name and type of article – Swivel chair WEREK, swivel chair WEREK (version with foot rest)*

**STRENGTH and DURABILITY**

Test level: 1 according to PN-EN 16139

point PN-EN 1728:2012	Test Description	Loading P (N)	Cycles	Re- quire- ment	Test results
6.4	Static load test - seat - back	1600 560	10 10	WITHOUT DEFECTS	pass pass
6.5	Seat front edge static load test	1300	10		pass
6.6	Vertical static load on back	600 Seat load 1300 N	10		pass
6.8, 6.9	Foot rest and leg rest static load test/*	1300	10		pass
6.10	Arm sideways static load test	400	10		not applicable
6.11	Arm downwards static load test	750	5		not applicable
6.13.1, 6.13.2	Vertical upwards static load on arm rests	250 Or lift stack with max. 8 chairs of max. 25 kg	lift 10 times, during ≥ 10 s		not applicable
6.17	Durability test: - seat - back	1000 300	100 000		pass pass
6.18	Seat front edge durability test	800	50 000		pass
6.20	Arm durability test	400	30 000		not applicable
6.21	Foot rest durability test/*	1000	50 000		pass
6.15	Leg forward static load test	500	10		pass
6.16	Leg sideways static load test	400	10		pass
6.24	Seat impact test	drop height 240 mm	10		pass
6.25	Back impact test	height of fall 210 mm/38°	10		pass
6.26	Arm impact test	height of fall 210 mm/38°	10		not applicable
6.27.1	Drop test (multiple seating)	--	2 x 5		not applicable
6.14	Auxiliary writing surface static load test	300	10		not applicable
6.22	Auxiliary writing surface durability test	150	10 000		not applicable

/\* - WEREK applies swivel chair (version with foot rest)

SIGNED:   
LABORATORIUM