

Description:	Chain post set
Item number:	KPS-RW
GTIN:	4250912307698
Customs tariff number:	73269098
Width (mm):	25000
Height (mm):	1000
Net weight (kg):	63
Gross weight (kg):	67
Material:	Steel Polyethylene
Surface:	galvanized powder coated
Colour:	white
Warning mark:	red warning mark
Area of application:	indoor and outdoor use
Mounting:	self-supporting
Delivery is:	pre-assembled
Foot plate depth (mm):	375
Foot plate height (mm):	60
Warranty:	1 year
Brand:	Crash Stop
ETIM Class Code:	EC004581
Contain:	6x 10-20-1 6x MPF 5x VBG R KS 5x VBG W KS





Description:	Mobile Base plate 8-angles
Item number:	MPF
GTIN:	4250912305519
Customs tariff number:	39269097
Shape:	octagonal
Width (mm):	380
Depth/Length (mm):	380
Height (mm):	65
Net weight (kg):	7,378
Gross weight (kg):	8,506
Material:	Rubber granules
Colour:	black
Area of application:	indoor and outdoor use
Temperature Range:	-20° up to +40°
Mounting:	self-supporting
Warranty:	1 year
Brand:	Crash Stop
ETIM Class Code:	EC004581



Description:	Chain post set 60mm red-white
Item number:	SET-10-20-1
GTIN:	4250912313101
Customs tariff number:	73089098
Width (mm):	130
Diameter (mm):	60
Height (mm):	1000
Net weight (kg):	21
Gross weight (kg):	29,4
Material:	Steel
Surface:	galvanized powder coated
Material thickness (mm):	2
Colour:	white
Warning mark:	red warning mark
Area of application:	indoor and outdoor use
Mounting location:	unpaved ground/mobile foot plate
Mounting:	clip on
Fixing included:	Mounting material not included
Brand:	Crash Stop
Approval / Certification:	TÜV-certified (compliant with DGUV 108-007 / previously BGR 234)
ETIM Class Code:	EC004581
Contain:	6x 10-20-1; KETTE KS RW 25; 5x VBGS R KS





Description:	Plastic chain 25
Item number:	KETTENSET KS RW
GTIN:	4250912307674
Customs tariff number:	39269097
Shape:	oval
Diameter (mm):	6
Depth/Length (mm):	25000
Net weight (kg):	1,5
Gross weight (kg):	1,6
Material:	Polyethylene
Material thickness (mm):	6
Colour:	red - white
Area of application:	indoor and outdoor use
Warranty:	1 year
Brand:	Crash Stop
ETIM Class Code:	EC000050

